

Amerisoft-Water Mobile Water Softener **QUICK START:**



1. Attach a water hose between the water supply and the water softener.
2. Connect a second water hose onto the other side of the water softener.
3. Place open end of water hose in a bucket and slowly turn on the water.
4. Rinse (The resin in softener has a stabilizer which requires rinsing). Turn on water (first gallon of water will likely be discolored and should clear up in a few seconds).
5. Once the water becomes clear it is ready for use and can be connected to your RV, Boat, Sprayer, etc.

PARTS LIST:



Included Items

- 1 - Water Softener.
- 1 - Female threaded 3/4" hose cap.
- 1 - Instruction Sheet

Optional Items

Available for purchase online- or from your reseller

- 4' White Water Hose
- Regeneration Packets (Iodized Table Salt).
- Mounting Brackets
- Annual Inspection (includes pressure check, rejuvenation flush, and 30 day warranty).

Amerisoft-Water Mobile Water Softener **SOFTENER REJUVENATION**

1: Cap

Install hose cap provided with Softener

2: Mix

1 part - iodized salt (table salt)
4 parts water

3: Dissolve

Salt in water

4: Pour

Salt Water into Softener

5: Soak

Stand open end up in bucket and allow to soak for 60 minutes

6: Flush

connect water hose and allow a gallon of water to flow through the softener.

7: Enjoy

Your softener should be rejuvenated and ready for use.



Amerisoft-Water Mobile Water Softener **LIMITED WARRANTY**

Congratulations on your Amerisoft-Water Softener purchase. Your softener is designed to provide years of trouble free service.

WEBSITE: WWW.AMERISOFT-WATER.COM

ADDITIONAL INFO: WWW.AMERISOFT-WATER.COM/FAQ.HTM

LIMITED WARRANTY

30 Day limited warranty

Proof of Purchase and Return Authorization Numbers are required on all returned items.

Returns or Exchanges: Please contact us via e-mail at info@Amerisoft-Water.com. All exchanges must be complete, unused and in factory packaging.

Claims on shortages and/or damaged goods must be made within 10 days of purchase.

All other returns will be charged 20% restocking fee. Shipping costs are the responsibility of the purchaser. Limit 1 return per customer.

Not responsible for use of the product other than stated on the Amerisoft-Water website, intentional misuse, or damage. Not intended for input pressure over 40 lbs. or inside use. Do not attach to high-pressure water (above 40 lbs typical of a residential garden hose flow). Damage or injury can occur from misuse and installing above 40 pounds of water pressure.